

# エコパークゾーン

過去～現在

## エコパークゾーン 過去～現在

**第1部 明治～1975**

**第2部 1976～1989**

<平成元年港湾計画まで>

**第3部 1990～1996**


<エコパークゾーン整備基本計画まで>

**第4部 1997～現在 [2007.3]**

## 第1部 明治~1975

1940 1950 1960 1970 1980 1990 2000 2010

### 1904(明治37)年海図



1940 1950 1960 1970 1980 1990 2000 2010

### 1904(明治37)年 海図[エバ-ク'-ン周辺]




1940 1950 1960 1970 1980 1990 2000 2010

### 1929(昭和4)年 海図



1940 1950 1960 1970 1980 1990 2000 2010

## 1929(昭和4)年 海図[エコバ-クヱ-ン周辺]



1940 1950 1960 1970 1980 1990 2000 2010

## 1947(昭和22)年3月 航空写真



福岡市人口約42万人【国勢調査】(現在の市域を考慮し、編入市町村人口を合計)

1940 1950 1960 1970 1980 1990 2000 2010


## 1947(昭和22)年3月 航空写真[和白]



和白村 6,100人【国勢調査】

1940 1950 1960 1970 1980 1990 2000 2010

## 1947(昭和22)年3月 航空写真[和白]



住宅が密集  
2007/2/13撮影

1940 1950 1960 1970 1980 1990 2000 2010

**1947(昭和22)年3月 航空写真[御島]**



現在の地形図(赤線)を重ね合わせ

This slide features a timeline at the top with years from 1940 to 2010. A red triangle points to the year 1950. The main title is '1947(昭和22)年3月 航空写真[御島]' in yellow text. Below the title is an aerial photograph of Miyajima with a red topographic map overlaid on it. At the bottom, the text '現在の地形図(赤線)を重ね合わせ' is written in white.

1940 1950 1960 1970 1980 1990 2000 2010


**1958(昭和33)年11月航空写真**






約68万人(S35)【国勢調査】(現在の市域を考慮し、編入市町村人口を合計)

This slide features a timeline at the top with years from 1940 to 2010. A red triangle points to the year 1960. The main title is '1958(昭和33)年11月航空写真' in yellow text. Below the title is a black and white aerial photograph of Miyajima. At the bottom, the text '約68万人(S35)【国勢調査】(現在の市域を考慮し、編入市町村人口を合計)' is written in white.










1940 1950 1960 1970 1980 1990 2000 2010


## 1988(昭和63)年 海図



1940 1950 1960 1970 1980 1990 2000 2010

## 1988(昭和63年)の河川水質(BOD年平均値)






## 第3部 1990～1996

<エコパークゾーン整備基本計画まで>

### 1993(平成5)年9月のアオサ堆積状況(和白)




COD75%値と博多湾流域市町の下水道普及の推移



※飯塚市、新宮町、佐賀県吉野ヶ里町を除く。

博多湾流域人口 約177万人(平成2)  
下水道普及率 約72%(平成2)

# 博多湾の赤潮発生状況(S51~H17)




リン除去高度処理開始


H5年度 発生回数13回 延べ日数142日間

1940 1950 1960 1970 1980 1990 2000 2010

## 1994(平成6)年7月 航空写真



福岡市人口約128万人(H6)【推計】



1940 1950 1960 1970 1980 1990 2000 2010

## アオサ回収 1996(平成8)年～



海域回収 約3,000m<sup>3</sup>/年



陸上回収 約360t/年  
(海浜清掃ごみとして)

